

## EAST Search History

| Ref # | Hits  | Search Query   | DBs             | Default Operator | Plurals | Time Stamp       |
|-------|-------|--|-----------------|------------------|---------|------------------|
| L1    | 2     | password near5 index near5 (random adj number)                               | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:42 |
| L2    | 42    | (password or key) near5 index near5 (random adj number)                      | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:44 |
| L3    | 0     | (password or key) near5 index near5 (random adj number) near5 table          | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:44 |
| L4    | 0     | (password or key) near5 index near5 (random adj number) near5 corelat\$4     | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:45 |
| L5    | 1     | (password or key) near5 index near5 (random adj number) with table           | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:45 |
| L6    | 1     | (password or key) near5 index near5 (random adj number) and (hash adj table) | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:46 |
| L7    | 1414  | (password or key) near5 (hash adj table)                                     | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:46 |
| L8    | 224   | (password or key) near5 (hash adj table) with index                          | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:47 |
| L9    | 0     | (password or key) near5 (hash adj table) with index with corelat\$4          | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:47 |
| L10   | 0     | (password or key) near5 (hash adj table) with index with card                | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:47 |
| L11   | 144   | 8 and content  | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:47 |
| L12   | 1     | 11 and license   | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:47 |
| L13   | 634   | (password adj2 table)  | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:49 |
| L14   | 94930 | 13 and request\$4 password   | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:49 |
| L15   | 561   | 13 and request\$4 near5vpassword   | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:49 |
| L16   | 251   | 13 and request\$4 near5 password   | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:49 |
| L17   | 12    | 16 and table near2 stored near5 (media or medium or card or chip)            | US-PGPUB; USPAT | OR               | ON      | 2009/02/16 04:50 |

|     |      |  |   |    |     |                     |
|-----|------|--|---|----|-----|---------------------|
| L18 | 8    | 16 and table near2 stored near5 (media or medium)                      | US-PGPUB;<br>USPAT  | OR | ON  | 2009/02/16<br>04:58 |
| L19 | 1    | ("5581547").PN.  | US-PGPUB;<br>USPAT  | OR | OFF | 2009/02/16<br>05:20 |
| L20 | 0    | (serial adj number) near5 (password adj table)                         | US-PGPUB;<br>USPAT  | OR | ON  | 2009/02/16<br>05:25 |
| L21 | 0    | (serial adj number) near5 (password adj table)                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/02/16<br>05:26 |
| L22 | 1117 | (serial adj number) near5 (password )                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/02/16<br>05:26 |
| L23 | 3    | (serial adj number) near5 index near5 (password )                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/02/16<br>05:26 |
| L24 | 7    | (serial adj number) near5 index near5 (password or token )             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/02/16<br>05:28 |
| L25 | 4    | 24 not 23  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/02/16<br>05:28 |
| L26 | 13   | ((serial or random) adj number) near5 index near5 (password or token ) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/02/16<br>05:30 |
| L27 | 6    | 26 not 24  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/02/16<br>05:30 |

|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| L28 | 6   | ((serial or random) adj<br>number) near5 (password<br>or token ) adj2 table  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/16<br>05:34 |
| L29 | 19  | (nonce or sequence) near5<br>(password or token ) adj2<br>table  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/16<br>05:42 |
| S1  | 2   | "US 20050114267"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | OR | ON | 2009/02/12<br>18:13 |
| S2  | 1   | 10/468699.app.   | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>18:22 |
| S3  | 850 | (present\$4 or output\$4 or<br>display) near5 (code or<br>key) near5 (random adj<br>(number or code))                                  | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:01 |
| S4  | 107 | S3 and license   | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:02 |
| S5  | 86  | S4 and software  | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:02 |
| S6  | 0   | S5 and microsoft.as.   | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:02 |
| S7  | 10  | S3 and microsoft.as.   | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:02 |
| S8  | 64  | (present\$4 or output\$4 or<br>display) near5 (code or<br>key) near5 (based or<br>according) near5 (random<br>adj (number or code))    | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:04 |
| S9  | 41  | S8 and content   | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:05 |
| S10 | 28  | S9 and software  | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:05 |
| S11 | 451 | (present\$4 or output\$4 or<br>display) near5 (code or<br>number) near5 (based or<br>according) near5 (random<br>adj (number or code)) | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:08 |
| S12 | 192 | (present\$4 or output\$4 or<br>display) near2 (code or<br>number) near5 (based or<br>according) near2 (random<br>adj (number or code)) | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:08 |

|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| S13 | 53  | S12 and activat\$4   | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:09 |
| S14 | 113 | (present\$4 or output\$4 or display) adj2 (code or number) near5 (based or according) near5 (random adj (number or code))  | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:11 |
| S15 | 80  | (present\$4 or output\$4 or display) adj2 (code or number) near2 (based or according) near2 (random adj (number or code))  | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:12 |
| S16 | 4   | S15 and (software or content) near5 (unlock\$4 or activat\$4)  | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/12<br>20:12 |
| S17 | 4   | S15 and (software or content) near5 (unlock\$4 or activat\$4)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/12<br>20:13 |
| S18 | 83  | (present\$4 or output\$4 or display) adj2 (code or number or password) near2 (based or according) near2 (random adj (number or code))  | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>12:50 |
| S19 | 5   | S18 and (code or number or password) adj1 (table ot list)  | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>12:51 |
| S20 | 122 | (code or number or password) adj1 (table ot list) near5 (stored or recorded or pre-stored or prestored or pre-recorded) near5 (medium or IC or Card or CD or disk or dvd)                            | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>12:53 |
| S21 | 43  | S20 and (unlock\$4 or activat\$4)  | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>12:53 |
| S22 | 3   | (code or number or password) adj1 (table ot list) near5 (random adj1 number) near5 (stored or recorded or pre-stored or prestored or pre-recorded) near5 (medium or IC or Card or CD or disk or dvd) | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>12:57 |

|     |    |  |                    |    |     |                     |
|-----|----|--|--------------------|----|-----|---------------------|
| S23 | 3  | (code or number or password) adj1 (table of list) near5 (stored or recorded or pre-stored or prestored or pre-recorded) near5 (medium or IC or Card or CD or disk or dvd) with (random adj1 number)  | US-PGPUB;<br>USPAT | OR | ON  | 2009/02/13<br>12:59 |
| S24 | 40 | (code or number or password) with (table of list) near5 (stored or recorded or pre-stored or prestored or pre-recorded) near5 (medium or IC or Card or CD or disk or dvd) with (random adj1 number)  | US-PGPUB;<br>USPAT | OR | ON  | 2009/02/13<br>13:00 |
| S25 | 11 | (select\$4) near5 (code or number or password) with (table of list) near5 (stored or recorded or pre-stored or prestored or pre-recorded) near5 (medium or IC or Card or CD or disk or dvd) with (random adj1 number)  | US-PGPUB;<br>USPAT | OR | ON  | 2009/02/13<br>14:02 |
| S26 | 2  | "20030014436"  | US-PGPUB;<br>USPAT | OR | ON  | 2009/02/13<br>14:12 |
| S27 | 73 | "5416840"  | US-PGPUB;<br>USPAT | OR | ON  | 2009/02/13<br>17:35 |
| S28 | 1  | ("5416840").PN.  | US-PGPUB;<br>USPAT | OR | OFF | 2009/02/13<br>17:36 |
| S29 | 1  | ("5490216").PN.  | US-PGPUB;<br>USPAT | OR | OFF | 2009/02/13<br>17:40 |
| S30 | 0  | ((("US5416840A") or ("US5490216A") or ("US5524073A") or ("US5555303A") or ("US5619570A") or ("US5646998A") or ("US5768387A") or ("US5784464A") or ("US5793302A") or ("US5832083A") or ("US5838791A") or ("US5875247A") or ("US5903650A") or ("US5936541A") or ("US5943423A") or ("US5974148A") or ("US6067622A") or ("US6134659A") or ("US6385596B1") or | US-PGPUB;<br>USPAT | OR | OFF | 2009/02/13<br>17:49 |

|     |   |  |                    |    |     |                     |
|-----|---|--|--------------------|----|-----|---------------------|
|     |   | ("US6785825B2") or<br>("US6792549B2") or<br>("US6792548B2") or<br>("US6795925B2") or<br>("US6799277B2") or<br>("US6813718B2") or<br>("US6813717B2") or<br>("US6857078B2") or<br>("US6868403B1") or<br>("US6948070B1") or<br>("US6966002B1") or<br>("US6986063B2") or<br>("US7051212B2") or<br>("US7065508B2") or<br>("US7069451B1") or<br>("US7076652B2") or<br>("US7085743B2") or<br>("US7089212B2") or<br>("US7092908B2") or<br>("US7095854B1") or<br>("US7100199B2") or<br>("US7120800B2") or<br>("US7124302B2") or<br>("US7133845B1") or<br>("US7143290B1") or<br>("US7158954B2") or<br>("US7209901B2") or<br>("US7237123B2") or<br>("US7249103B2") or<br>("US7281133B2") or<br>("US7290288B2") or<br>("US7319988B2") or<br>("US7328453B2") or<br>("US7353207B2") or<br>("US7353205B2") or<br>("US7360252B1") or<br>("US7392395B2") or<br>("US7430670B1")).PN. |                    |    |     |                     |
| S31 | 0 | ("US5416840") or<br>("US5490216") or<br>("US5524073") or<br>("US5555303A") or<br>("US5619570A") or<br>("US5646998A") or<br>("US5768387A") or<br>("US5784464A") or<br>("US5793302A") or<br>("US5832083A") or<br>("US5838791A") or<br>("US5875247A") or<br>("US5903650A") or<br>("US5936541A") or<br>("US5943423A") or<br>("US5974148A") or<br>("US6067622A") or<br>("US6134659A") or  | US-PGPUB;<br>USPAT | OR | OFF | 2009/02/13<br>17:50 |

|     |   |   |                    |    |     |                     |
|-----|---|---|--------------------|----|-----|---------------------|
|     |   | ("US6385596B1") or<br>("US6785825B2") or<br>("US6792549B2") or<br>("US6792548B2") or<br>("US6795925B2") or<br>("US6799277B2") or<br>("US6813718B2") or<br>("US6813717B2") or<br>("US6857078B2") or<br>("US6868403B1") or<br>("US6948070B1") or<br>("US6966002B1") or<br>("US6986063B2") or<br>("US7051212B2") or<br>("US7065508B2") or<br>("US7069451B1") or<br>("US7076652B2") or<br>("US7085743B2") or<br>("US7089212B2") or<br>("US7092908B2") or<br>("US7095854B1") or<br>("US7100199B2") or<br>("US7120800B2") or<br>("US7124302B2") or<br>("US7133845B1") or<br>("US7143290B1") or<br>("US7158954B2") or<br>("US7209901B2") or<br>("US7237123B2") or<br>("US7249103B2") or<br>("US7281133B2") or<br>("US7290288B2") or<br>("US7319988B2") or<br>("US7328453B2") or<br>("US7353207B2") or<br>("US7353205B2") or<br>("US7360252B1") or<br>("US7392395B2") or<br>("US7430670B1").PN. |                    |    |     |                     |
| S32 | 1 | (("5416840") or<br>("US5490216") or<br>("US5524073") or<br>("US5555303A") or<br>("US5619570A") or<br>("US5646998A") or<br>("US5768387A") or<br>("US5784464A") or<br>("US5793302A") or<br>("US5832083A") or<br>("US5838791A") or<br>("US5875247A") or<br>("US5903650A") or<br>("US5936541A") or<br>("US5943423A") or<br>("US5974148A") or<br>("US6067622A") or   | US-PGPUB;<br>USPAT | OR | OFF | 2009/02/13<br>17:50 |

|     |   |   |                    |    |     |                     |
|-----|---|---|--------------------|----|-----|---------------------|
|     |   | ("US6134659A") or<br>("US6385596B1") or<br>("US6785825B2") or<br>("US6792549B2") or<br>("US6792548B2") or<br>("US6795925B2") or<br>("US6799277B2") or<br>("US6813718B2") or<br>("US6813717B2") or<br>("US6857078B2") or<br>("US6868403B1") or<br>("US6948070B1") or<br>("US6966002B1") or<br>("US6986063B2") or<br>("US7051212B2") or<br>("US7065508B2") or<br>("US7069451B1") or<br>("US7076652B2") or<br>("US7085743B2") or<br>("US7089212B2") or<br>("US7092908B2") or<br>("US7095854B1") or<br>("US7100199B2") or<br>("US7120800B2") or<br>("US7124302B2") or<br>("US7133845B1") or<br>("US7143290B1") or<br>("US7158954B2") or<br>("US7209901B2") or<br>("US7237123B2") or<br>("US7249103B2") or<br>("US7281133B2") or<br>("US7290288B2") or<br>("US7319988B2") or<br>("US7328453B2") or<br>("US7353207B2") or<br>("US7353205B2") or<br>("US7360252B1") or<br>("US7392395B2") or<br>("US7430670B1")).PN. |                    |    |     |                     |
| S33 | 3 | (("5416840") or<br>("5490216") or<br>("5524073") or<br>("5555303A") or<br>("5619570A") or<br>("US5646998A") or<br>("US5768387A") or<br>("US5784464A") or<br>("US5793302A") or<br>("US5832083A") or<br>("US5838791A") or<br>("US5875247A") or<br>("US5903650A") or<br>("US5936541A") or<br>("US5943423A") or<br>("US5974148A") or  | US-PGPUB;<br>USPAT | OR | OFF | 2009/02/13<br>17:50 |



|     |      |   |                    |    |    |                     |
|-----|------|---|--------------------|----|----|---------------------|
|     |      | ("US6067622A") or<br>("US6134659A") or<br>("US6385596B1") or<br>("US6785825B2") or<br>("US6792549B2") or<br>("US6792548B2") or<br>("US6795925B2") or<br>("US6799277B2") or<br>("US6813718B2") or<br>("US6813717B2") or<br>("US6857078B2") or<br>("US6868403B1") or<br>("US6948070B1") or<br>("US6966002B1") or<br>("US6986063B2") or<br>("US7051212B2") or<br>("US7065508B2") or<br>("US7069451B1") or<br>("US7076652B2") or<br>("US7085743B2") or<br>("US7089212B2") or<br>("US7092908B2") or<br>("US7095854B1") or<br>("US7100199B2") or<br>("US7120800B2") or<br>("US7124302B2") or<br>("US7133845B1") or<br>("US7143290B1") or<br>("US7158954B2") or<br>("US7209901B2") or<br>("US7237123B2") or<br>("US7249103B2") or<br>("US7281133B2") or<br>("US7290288B2") or<br>("US7319988B2") or<br>("US7328453B2") or<br>("US7353207B2") or<br>("US7353205B2") or<br>("US7360252B1") or<br>("US7392395B2") or<br>("US7430670B1").PN. |                    |    |    |                     |
| S34 | 3346 | (random adj number)<br>near5 (code)   | US-PGPUB;<br>USPAT | OR | ON | 2009/02/13<br>18:47 |
| S35 | 76   | (random adj number)<br>near5 (corelat\$4 or associat<br>\$4) near5 (code) near5<br>(password or key or code)  | US-PGPUB;<br>USPAT | OR | ON | 2009/02/13<br>18:48 |
| S36 | 150  | ("5065429").URPN.   | USPAT              | OR | ON | 2009/02/13<br>19:00 |
| S37 | 49   | S36 and (random number)<br>near5 table  | USPAT              | OR | ON | 2009/02/13<br>19:08 |
| S38 | 32   | S36 and (random number)<br>near5 table near5 (key or<br>password or code)   | USPAT              | OR | ON | 2009/02/13<br>19:08 |

|     |    |  |                 |    |    |                  |
|-----|----|--|-----------------|----|----|------------------|
| S39 | 32 | S37 and (random number) near5 table near5 (key or password or code)  | USPAT           | OR | ON | 2009/02/13 19:08 |
| S40 | 0  | S37 and (random adj number) near5 table near5 (key or password or code)  | USPAT           | OR | ON | 2009/02/13 19:10 |
| S41 | 3  | S37 and (random adj number) near5 table  | USPAT           | OR | ON | 2009/02/13 19:10 |
| S42 | 10 | S37 and (random adj number) near5 key  | USPAT           | OR | ON | 2009/02/13 19:13 |
| S43 | 17 | S37 not S38  | USPAT           | OR | ON | 2009/02/13 19:19 |
| S44 | 8  | S43 and unlock\$4  | USPAT           | OR | ON | 2009/02/13 19:21 |
| S45 | 3  | S35 and unlock\$4  | USPAT           | OR | ON | 2009/02/13 19:22 |
| S46 | 69 | ("5416840").URPN.  | USPAT           | OR | ON | 2009/02/13 19:26 |
| S47 | 2  | S36 and S46  | USPAT           | OR | ON | 2009/02/13 19:26 |
| S48 | 1  | S36 and self.ti.   | USPAT           | OR | ON | 2009/02/13 19:38 |
| S49 | 22 | (random adj number) near5 (corelat\$4 or associat \$4) near5 (code or password or key) near5 table                         | US-PGPUB; USPAT | OR | ON | 2009/02/13 19:39 |
| S50 | 25 | (random adj number) near5 (corelat\$4 or associat \$4 or index\$4) near5 (code or password or key) near5 table             | US-PGPUB; USPAT | OR | ON | 2009/02/13 19:41 |
| S51 | 23 | S50 not "213"  | US-PGPUB; USPAT | OR | ON | 2009/02/13 19:41 |
| S52 | 3  | S50 not S49  | US-PGPUB; USPAT | OR | ON | 2009/02/13 19:41 |
| S53 | 81 | ((random adj number) or counter) near5 (corelat\$4 or associat\$4 or index\$4) near5 (code or password or key) near5 table | US-PGPUB; USPAT | OR | ON | 2009/02/13 19:43 |
| S54 | 56 | S53 not S50  | US-PGPUB; USPAT | OR | ON | 2009/02/13 19:43 |
| S55 | 1  | S54 and unlock\$4  | US-PGPUB; USPAT | OR | ON | 2009/02/13 19:44 |

|     |       |   |   |    |    |                     |
|-----|-------|---|---|----|----|---------------------|
| S56 | 81    | ((random adj number) or counter) near5 (corelat\$4 or associat\$4 or index\$4) near5 (code or password or key or (control adj1 word)) near5 table | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>19:49 |
| S57 | 33    | ((random adj number) or counter) near5 ( index\$4) near5 (code or password or key or (control adj1 word)) near5 table                             | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>19:49 |
| S58 | 12    | S57 and (unlock\$4 or activat\$4)   | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>19:49 |
| S59 | 5     | ((random adj number) or counter) near5 ( index\$4) near5 (code or password or key or (control adj1 word)) near5 table                             | USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB                        | OR | ON | 2009/02/13<br>19:51 |
| S60 | 0     | S36 and (activat\$4 near2 (software or content or product))   | USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB                        | OR | ON | 2009/02/13<br>19:58 |
| S61 | 0     | S46 and (activat\$4 near2 (software or content or product))   | USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB                        | OR | ON | 2009/02/13<br>19:58 |
| S62 | 0     | S53 and (activat\$4 near2 (software or content or product))   | USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB                        | OR | ON | 2009/02/13<br>19:58 |
| S63 | 1     | S53 and (activat\$4 near2 (software or content or product))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/13<br>19:59 |
| S64 | 32302 | 10and (activat\$4 near2 (software or content or product))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/13<br>20:01 |
| S65 | 11    | S36 and (activat\$4 near2 (software or content or product))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/13<br>20:01 |

|     |    |   |   |    |    |                     |
|-----|----|---|---|----|----|---------------------|
| S66 | 3  | S46 and (activat\$4 near2 (software or content or product))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/13<br>20:01 |
| S67 | 57 | ((random adj number) or counter) near5 (determin\$4 or index\$4) near5 (code or password or key or (control adj1 word)) near5 table | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>20:03 |
| S68 | 24 | ((random adj number) or counter) near5 (determin\$4) near5 (code or password or key or (control adj1 word)) near5 table             | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>20:03 |
| S69 | 29 | ((random adj number) or counter) near5 (referenc\$4) near5 (code or password or key or (control adj1 word)) near5 table             | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>20:08 |
| S70 | 0  | ((random adj number) or counter) near5 (corelat\$4) near5 (code or password or key or (control adj1 word)) near5 table              | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>20:13 |
| S71 | 1  | ((random adj number) or counter) near5 (corelat\$4) near5 (code or password or key or (control adj1 word))                          | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>20:13 |
| S72 | 1  | ((random adj number) or counter or index) near5 (corelat\$4) near5 (code or password or key or (control adj1 word))                 | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>20:15 |
| S73 | 1  | ((random adj1 number) or counter or index) near5 (corelat\$4) near5 (code or password or key or (control adj1 word))                | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/13<br>20:16 |
| S74 | 11 | taniguchi near1 katsuya.in.   | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/14<br>12:43 |
| S75 | 0  | S74 and "214485"  | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/14<br>12:44 |
| S76 | 0  | S74 and network near2 print.ti.   | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/14<br>12:44 |
| S77 | 32 | network near2 print near2 system.ti.  | US-PGPUB;<br>USPAT  | OR | ON | 2009/02/14<br>12:44 |

|     |    |  |   |    |     |                     |
|-----|----|--|---|----|-----|---------------------|
| S78 | 0  | S77 and sharp.in.  | US-PGPUB;<br>USPAT  | OR | ON  | 2009/02/14<br>12:45 |
| S79 | 2  | "10911864".rlan. or ("10".<br>src. and "911864".ap.)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | OR | ON  | 2009/02/15<br>19:30 |
| S80 | 1  | ("20040201752").PN.  | US-PGPUB;<br>USPAT  | OR | OFF | 2009/02/15<br>19:34 |
| S81 | 2  | "US 20060117158"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>DERWENT                                | OR | ON  | 2009/02/15<br>20:54 |
| S82 | 0  | (request\$4 near5<br>(password) near5 ((every<br>or each) adj1 (time))<br>near5 (content or song)<br>near5 (play\$4 or render\$5<br>or reproduc\$5))                   | US-PGPUB;<br>USPAT  | OR | ON  | 2009/02/15<br>21:23 |
| S83 | 0  | (request\$4 near5<br>(password) near5 ((every<br>or each) adj1 (time))<br>near5 (content or song)<br>near5 (play\$4 or render\$5<br>or reproduc\$5))                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/02/15<br>21:24 |
| S84 | 0  | (request\$4 near5<br>(password or key or code)<br>near5 ((every or each)<br>adj1 (time)) near5<br>(content or song) near5<br>(play\$4 or render\$5 or<br>reproduc\$5)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/02/15<br>21:24 |
| S85 | 13 | (password or key or code)<br>near5 ((every or each)<br>adj1 (time)) near5<br>(content or song) near5<br>(play\$4 or render\$5 or<br>reproduc\$5)                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/02/15<br>21:24 |

2/ 16/ 2009 6:34:58 AM